

NM_198185 ACCESSION:NM_198185 NID: gi 38044105 ref NM_198185.1
Homo sapiens oviductin protease (OVTN), mRNA
Length = 1695

Score = 619 bits (1580), Expect = e-175
Identities = 300/302 (99%), Positives = 300/302 (99%), Gaps = 0/302 (0%)
Frame = +1

Query: 5 MLISRNKLILLGIVFFFERGKSAALSLPKAPSCGQSLVKVQPWNYFNIFSRILGGSQVEK 62
MLISRNKLILLGIVFFFERGKSA LSLPKAPSCGQSLVKVQPWNYFNIFSRILGGSQVEK
Sbjct: 1 MLISRNKLILLGIVFFFERGKSATLSLPKAPSCGQSLVKVQPWNYFNIFSRILGGSQVEK 180

Query: 63 GSYPWQVSLKQRQKHICGGSIVSPQWVITAAHCANRNIVSTLNVTAGHEYDLSQTDPEQ 122
GSYPWQVSLKQRQKHICGGSIVSPQWVITAAHCANRNIVSTLNVTAGHEYDLSQTDPEQ
Sbjct: 181 GSYPWQVSLKQRQKHICGGSIVSPQWVITAAHCANRNIVSTLNVTAGHEYDLSQTDPEQ 360

Query: 123 TLTIETVIIHPHFSTKKPMDYDIALLLKMGAFQFGHFVGPICLPCLPELREQFEAGFICTTAG 182
TLTIETVIIHPHFSTKKPMDYDIALLLKMGAFQFGHFVGPICLPCLPELREQFEAGFICTTAG
Sbjct: 361 TLTIETVIIHPHFSTKKPMDYDIALLLKMGAFQFGHFVGPICLPCLPELREQFEAGFICTTAG 540

Query: 183 WGRLTEGGVLSQVLQEVNLPILTWEECVAAALLTLKRPISGKTFLCTGFDPGGRDACQGDS 242
WGRLTEGGVLSQVLQEVNLPILTWEECVAAALLTLKRPISGKTFLCTGFDPGGRDACQGDS
Sbjct: 541 WGRLTEGGVLSQVLQEVNLPILTWEECVAAALLTLKRPISGKTFLCTGFDPGGRDACQGDS 720

Query: 243 GGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVLWIHEHIQT 302
GGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVL WIHEHIQT
Sbjct: 721 GGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVLPIHEHIQT 900

Query: 303 GN 304
GN
Sbjct: 901 GN 906



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Books

Search for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

Display

default

Show:

20

Send to

File

Get Subsequence

Features

☐ 1: NM_198185. Homo sapiens ovid...[gi:38044105]

Links

LOCUS NM_198185 1695 bp mRNA linear PRI 30-OCT-2003

DEFINITION Homo sapiens oviductin protease (OVTN), mRNA.

ACCESSION NM_198185

VERSION NM_198185.1 GI:38044105

KEYWORDS .

SOURCE Homo sapiens (human)

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1

AUTHORS Puente,X.S., Sanchez,L.M., Overall,C.M. and Lopez-Otin,C.

TITLE Human and mouse proteases: a comparative genomic approach

JOURNAL Nat. Rev. Genet. 4 (7), 544-558 (2003)

MEDLINE 22722134

PUBMED 12838346

COMMENT PROVISIONAL REFSEQ: This record has not yet been subject to final NCBI review. The reference sequence was derived from BN000120.1.

FEATURES

Location/Qualifiers

source 1..1695

/organism="Homo sapiens"

/mol_type="mRNA"

/db_xref="taxon:9606"

/chromosome="11"

/map="11p15.4"

gene 1..1695

/gene="OVTN"

/db_xref="LocusID:341277"

CDS 1..1695

/gene="OVTN"

/function="serine protease"

/codon_start=1

/product="oviductin protease"

/protein_id="NP_937828.1"

/db_xref="GI:38044106"

/db_xref="LocusID:341277"

/translation="MLISRNKLILLGLGIVFFERGKSATLSLPKAPSCGQSLVKVQPWN YFNIFSRILGGSQVEKGSYPWQVSLKQKQKHICGGSIVSPQWVITAHCIANRNIVST LNVTAGHEYDLSQTDPEQTLTIETVIIHPHFSTKKPMDYDIALLMAGAFQFGHFVGP ICLPELREQFEAGFICTTAGWGRLTEGGVLSQVLQEVNLPILTWEECVAALLTLKRPI SGKTFLCTGFPDGGRDACQDSSGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKS DQGSPGIFTDISKVLPIWHEHIQTGNRRKSSRAWCSEQDVIVSGAEGKLHFPESLHLY YESKQRCVWTLVPEEMHVLLSFSLHDVESCHHSYLSMYSLEDRPIGKFCGESLPSSI LIGSNSRLKLFVSDATDYAAGFNLTYSKALPNYIPDSGCSYLTVLFEGLIQSLNYPE NYSDKANCDWIFQASKHHLIKLSFQSLIEESGDCTSDYVTVHSDVERKKEIARLCGY DVPTPVLSPSSIMLISFQSDENGTCRGFQATVSFIPKAGKKIELPTLWFPVLILVM"

sig_peptide 1..69

/gene="OVTN"

mat_peptide 70..1692
/gene="OVTN"
/product="oviductin protease"
misc_feature 151..882
/gene="OVTN"
/note="Tryp_SPc; Region: Trypsin-like serine protease"
/db_xref="CDD:smart00020"
misc_feature 976..1254
/gene="OVTN"
/note="CUB; Region: CUB domain"
/db_xref="CDD:pfam00431"
misc_feature 1321..1617
/gene="OVTN"
/note="CUB; Region: CUB domain"
/db_xref="CDD:pfam00431"

ORIGIN

```
1 atgcttataa gcaggaacaa gctgatttta ctactaggaa tagtcttttt tgaacgaggt
61 aaatctgcaa ctcttttcgct ccccaaagct cccagttgtg ggcagagtct ggttaaggta
121 cagccttgga attattttaa catttttcagt cgcattcttg gaggaagcca agtggagaag
181 ggttcctatc cctggcaggt atctctgaaa caaaggcaga agcatatttg tggaggaagc
241 atcgtctcac cacagtgggt gatcacggcg gctcactgca ttgcaaacag aacatttgtg
301 tctactttga atgttactgc tggagagtat gacttaagcc agacagaccc aggagagcaa
361 actctcacta ttgaaactgt catcatacat ccacatttct ccaccaagaa accaatggac
421 tatgatattg cccttttgaa gatggctgga gccttccaat ttggccactt tgtggggccc
481 atatgtcttc cagagctgcg ggagcaattt gaggctgggt ttatttgtac aactgcaggc
541 tggggccgct taactgaagg tggcgtcctc tcacaagtct tgcaggaagt gaatctgcct
601 attttgacct gggaagagtg tgtggcagct ctgttaacac taaagaggcc catcagtggg
661 aagacctttc tttgcacagg ttttctgat ggaggagag acgcatgtca gggagattca
721 ggaggttcac tcatgtgccg gaataagaaa ggggcctgga ctctggctgg tgtgacttcc
781 tgggggtttg gctgtggctg aggctggaga aacaatgtga ggaaaagtga tcaaggatcc
841 cctgggatct tcacagacat tagtaaagtg cttccctgga tccacgaaca catccaaact
901 ggtaatcgga gaaagagctc cagagcctgg tgcagtgagc aggatgtcat agtcagcggg
961 gctgagggga agctgcactt cccagaaagc ctccacctat attatgagag caagcaacgg
1021 tgtgtctgga ccctgctggg accagaggaa atgcatgtgt tgctcagttt tccccacctt
1081 gatgttgagt cttgtcacca cagttacctg tcaatgtatt ctttagaaga cagaccatt
1141 ggaaaatttt gtggagaaaag cctcccttca tccattctta ttggctctaa ttctctaagg
1201 ctgaaattcg tctctgatgc cacagattat gcagctgggt ttaatcttac ctataaagct
1261 cttaaaccaa actacattcc tgattcaggt tgcagttact taactgtcct ttttgaagaa
1321 ggtctcatac agagtctaaa ctatcctgaa aactacagtg acaaggctaa ctgtgactgg
1381 atttttcaag cctccaaaca tcacctaat aagctttcat ttcagagtct ggaaatagaa
1441 gaaagtggag actgcacttc cgactatgtg acagtgcaca gcgatgtaga aaggagaag
1501 gaaatagctc ggctgtgtgg ctatgatgtc cccaccctg tgctgagccc ctccagcatc
1561 atgctcatca gcttccaatc agatgaaaac gggacctgca ggggctttca ggctacagtc
1621 tccttcattc cttaaagcag taagaagata gagttaccaa ctctttgggt cccagttcta
1681 atccttgtga tgtga
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Nov 3 2003 07:26:36

Homo sapiens. Human CVSP14 full length cDNA. PA:CORVAS INT INC.

PN:W0200277263-A2. gsn

Length = 1035

Score = 628 bits (1603), Expect = e-179

Identities = 305/306 (99%), Positives = 306/306 (100%), Gaps = 0/306 (0%)

Frame = +1

Query: 1 MSLKMLISRNLILLGIVFFERGKSAALSLPKAPSCGQSLVKVQPWNYFNIFSRILGGS 58
MSLKMLISRNLILLGIVFFE+GKSAALSLPKAPSCGQSLVKVQPWNYFNIFSRILGGS
Sbjct: 115 MSLKMLISRNLILLGIVFFEQGKSAALSLPKAPSCGQSLVKVQPWNYFNIFSRILGGS 294

Query: 59 QVEKGSYPWQVSLKQRQKHICGGSIVSPQWVITAACHIANRNIVSTLNVTAGHEYDLSQTD 118
QVEKGSYPWQVSLKQRQKHICGGSIVSPQWVITAACHIANRNIVSTLNVTAGHEYDLSQTD
Sbjct: 295 QVEKGSYPWQVSLKQRQKHICGGSIVSPQWVITAACHIANRNIVSTLNVTAGHEYDLSQTD 474

Query: 119 PGEQTLTIETVIIHPHFSTKKPMDYDIALLLKMAFQFGHFVGPICLPCLPELREQFEAGFIC 178
PGEQTLTIETVIIHPHFSTKKPMDYDIALLLKMAFQFGHFVGPICLPCLPELREQFEAGFIC
Sbjct: 475 PGEQTLTIETVIIHPHFSTKKPMDYDIALLLKMAFQFGHFVGPICLPCLPELREQFEAGFIC 654

Query: 179 TTAGWGRLTEGGVLSQVLQEVNLPILTWEECVAALLTLKRPISGKTFLCTGFPDGGRDAC 238
TTAGWGRLTEGGVLSQVLQEVNLPILTWEECVAALLTLKRPISGKTFLCTGFPDGGRDAC
Sbjct: 655 TTAGWGRLTEGGVLSQVLQEVNLPILTWEECVAALLTLKRPISGKTFLCTGFPDGGRDAC 834

Query: 239 QGDSGGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVLWIHE 298
QGDSGGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVLWIHE
Sbjct: 835 QGDSGGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVLWIHE 1014

Query: 299 HIQTGN 304
HIQTGN
Sbjct: 1015HIQTGN 1032



Presentation:

Basic

Image:

Small

Français

1 of 2

[View Images](#)

PUBLISHED INTERNATIONAL APPLICATION

- (11) **WO 02/077263** (13) A2
 (21) PCT/US02/09039
 (22) **20 March 2002 (20.03.2002)**
 (25) ENG (26) ENG
 (31) 60/278,166 (32) 22 March 2001 (22.03.2001) US
 (43) 03 October 2002 (03.10.2002)
 (51)⁷ C12Q
 (54) NUCLEIC ACID MOLECULES ENCODING SERINE PROTEASE
 CVSP14, THE ENCODED POLYPEPTIDES AND METHODS
 BASED THEREON
 (61) US 60/278,166 (CIP)
 Filed on 22 March 2001 (22.03.2001)
 (71) **CORVAS INTERNATIONAL, INC.** 3030 Science Park Road, San
 Diego, CA 92121; (US). [US/US].(for all designated States except
 US)
 (72)(75) **MADISON, Edwin, L.** 11005 Cedarcrest Way, San Diego, CA
 92121; (US) [US/US]. **YEH, Jiunn-Chern** 11629 Wetsview Parway,
 San Diego, CA 92126; (US) [US/—].
 (74) **SEIDMAN, Stéphanie, L.** Heller Ehrman White & McAuliffe LLP,
 4350 La Jolla Village Drive, San Diego, CA 92122-1246; (US).
 (81)
 AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
 NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
 TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW
 (84)
 ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM,
 ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
 European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
 IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
 GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

For information on time limits for entry into the national phase please [click here](#)

Published *without international search report and to be republished upon receipt of that report*

Declaration under Rule 4.17 *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations*
 AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

No Image Available.

Abstract

Provided herein are polypeptides designated CVSP14 polypeptides that exhibit protease activity as a single chain or as an activated two chain form. Methods using the polypeptides to identify compounds that modulate the protease activity thereof are provided. The polypeptides also serve as tumor markers.



Presentation:

Basic

Image:

Small

Français

1 of 2

Homo sapiens. Human protease PRTS-20 cDNA sequence. PA:INCYTE GENOMICS INC.
PN:WO200198468-A2. gsn
Length = 1262

Score = 628 bits (1603), Expect = e-179
Identities = 305/306 (99%), Positives = 305/306 (99%), Gaps = 0/306 (0%)
Frame = +3

Query: 1 MSLKMLISRNLILLGIVFFERGKSAALSLPKAPSCGQSLVKVQPWNYFNIFSRILGGS 58
MSLKMLISRNLILLGIVFFERGKSA LSLPKAPSCGQSLVKVQPWNYFNIFSRILGGS
Sbjct: 165 MSLKMLISRNLILLGIVFFERGKSATLSLPKAPSCGQSLVKVQPWNYFNIFSRILGGS 344

Query: 59 QVEKGSYPWQVSLKQRQKHICGGSIVSPQWVITAAHCIANRNIVSTLNVTAGHEYDLSQTD 118
QVEKGSYPWQVSLKQRQKHICGGSIVSPQWVITAAHCIANRNIVSTLNVTAGHEYDLSQTD
Sbjct: 345 QVEKGSYPWQVSLKQRQKHICGGSIVSPQWVITAAHCIANRNIVSTLNVTAGHEYDLSQTD 524

Query: 119 PGEQTLTIETVIIHPHFSTKKPMDYDIALLLKMGAFQFGHFVGPICLPPELREQFEAGFIC 178
PGEQTLTIETVIIHPHFSTKKPMDYDIALLLKMGAFQFGHFVGPICLPPELREQFEAGFIC
Sbjct: 525 PGEQTLTIETVIIHPHFSTKKPMDYDIALLLKMGAFQFGHFVGPICLPPELREQFEAGFIC 704

Query: 179 TTAGWGRLTEGGVLSQVLQEVNLPILTWEECVAALLTLKRPISGKTFLCTGFDPGGRDAC 238
TTAGWGRLTEGGVLSQVLQEVNLPILTWEECVAALLTLKRPISGKTFLCTGFDPGGRDAC
Sbjct: 705 TTAGWGRLTEGGVLSQVLQEVNLPILTWEECVAALLTLKRPISGKTFLCTGFDPGGRDAC 884

Query: 239 QGDSGGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVLSWIHE 298
QGDSGGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVLSWIHE
Sbjct: 885 QGDSGGSLMCRNKKGAWTLAGVTSWGLGCGRGWRNNVRKSDQGSPGIFTDISKVLSWIHE 1064

Query: 299 HIQTGN 304
HIQTGN
Sbjct: 1065HIQTGN 1082

Presentation: Image:

Français

1 of 1

[View Images](#)

PUBLISHED INTERNATIONAL APPLICATION

- (11) **WO 01/98468** (13) A2
- (21) PCT/US01/19178
- (22) **13 June 2001 (13.06.2001)**
- (25) ENG (26) ENG
- (31) 60/212,336 (32) 16 June 2000 (16.06.2000) US
- (31) 60/213,955 (32) 22 June 2000 (22.06.2000) US
- (31) 60/215,396 (32) 29 June 2000 (29.06.2000) US
- (31) 60/216,821 (32) 07 July 2000 (07.07.2000) US
- (31) 60/218,946 (32) 14 July 2000 (14.07.2000) US
- (43) 27 December 2001 (27.12.2001)
- (51)⁷ C12N 9/00
- (54) PROTEASES
- (71) **INCYTE GENOMICS, INC.** 3160 Porter Drive, Palo Alto, CA 94304; (US). [US/US].(for all designated States except US)
- (72)(75) **YUE, Henry** 826 Lois Avenue, Sunnyvale, CA 94087; (US) [US/US].**ELLIOTT, Vicki, S.** 3770 Polton Place Way, San Jose, CA 95121; (US) [US/US].**GANDHI, Ameena, R.** 837 Roble Avenue, #1, Menlo Park, CA 94025; (US) [US/US].**LAL, Preeti** P.O. Box 5142, Santa Clara, CA 95056; (US) [US/IN].**AU-YOUNG, Janice** 233 Golden Eagle Lane, Brisbane, CA 94005; (US) [US/US].**TRIBOULEY, Catherine, M.** 1121 Tennessee Street, #5, San Francisco, CA 94107; (US) [US/FR].**DELEGEANE, Angelo, M.** 594 Angus Drive, Milpitas, CA 95035; (US) [US/US].**BAUGHN, Mariah, R.** 14244 Santiago Road, San Leandro, CA 94577; (US) [US/US].**NGUYEN, Danniell, B.** 1403 Ridgewood Drive, San Jose, CA 95118; (US) [US/US].**LEE, Ernestine, A.** 624 Kains Street, Albany, CA 94706; (US) [US/US].**HAFALIA, April** 2227 Calle de Primavera, Santa Clara, CA 95054; (US) [US/US].**KHAN, Farrah, A.** 3617 Central Road #102, Glenview, IL 60025; (US) [US/IN].**WALIA, Narinder, K.** 890 Davis Street #205, San Leandro, CA 94577; (US) [US/US].**YAO, Monique, G.** 111 Frederick Court, Mountain View, CA 94043; (US) [US/US].**LU, Dyung, Aina, M.** 233 Coy Drive, San Jose, CA 95123; (US) [US/US].**PATTERSON, Chandra** 490 Sherwood Way #1, Menlo Park, CA 94025; (US) [US/US].**TANG, Y., Tom** 4230 Ranwick Court, San Jose, CA 95118; (US) [US/US].**WALSH, Roderick, T.** 8 Boundary Court, St. Lawrence

Road, Canterbury, Kent CT1 3EZ; (GB) [US/IE].**AZIMZAI, Yalda**
 5518 Boulder Canyon Drive, Castro Valley, CA 94552; (US)
 [US/US].**LU, Yan** 3885 Corrina Way, Palo Alto, CA 94303; (US)
 [US/CN].**RAMKUMAR, Jayalaxmi** 34359 Maybird Circle, Fremont,
 CA 94555; (US) [US/IN].**XU, Yuming** 1739 Walnut Drive, Mountain
 View, CA 94040; (US) [US/US].**REDDY, Roopa** 1233 W. McKinley
 Avenue #3, Sunnyvale, CA 94086; (US) [US/IN].**DAS, Debopriya** 1179
 Bonita Avenue, Apt. 3, Mountain View, CA 94040; (US)
 [US/IN].**KEARNEY, Liam** 50 Woodside Avenue, San Francisco, CA
 94127; (US) [US/IE].**KALLICK, Deborah, A.** 900 Olive Street, Menlo
 Park, CA 94025; (US) [US/US].

(74) **HAMLET-COX, Diana** Incyte Genomics, Inc., 3160 Porter Drive, Palo
 Alto, CA 94304; (US).

(81)

AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE,
 GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
 LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO,
 NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ,
 UA, UG, US, UZ, VN, YU, ZA, ZW

(84)

ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG,
 ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
 European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
 IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
 GA, GN, GW, ML, MR, NE, SN, TD, TG)

[For information on time limits for entry into the national phase please click here](#)

Published *without international search report and to be republished
 upon receipt of that report*

No Image Available.

Abstract

The invention provides human proteases (PRTS) and polynucleotides which identify and encode PRTS. The invention also provides expression vectors, host cells, antibodies, agonists, and antagonists. The invention also provides methods for diagnosing, treating, or preventing disorders associated with aberrant expression of PRTS.



Presentation:

Basic

Image:

Small

Français



1 of 1

characterize the protein. A starting material that can only be used to produce a final product does not have a substantial asserted utility in those instances where the final product is not supported by a specific and substantial utility. In this case none of the proteins that are to be produced as final products resulting from processes involving the claimed cDNA have asserted or identified specific and substantial utilities. The research contemplated by Applicants to characterize potential protein products, especially their biological activities, does not constitute a specific and substantial utility. Identifying and studying the properties of the protein itself or the mechanisms in which the protein is involved does not define a "real world" context of use. Note, because the claimed invention is not supported by a specific and substantial asserted utility for the reasons set forth above, credibility has not been assessed. Neither the specification as filed nor any art of record discloses or suggests any property or activity for the cDNA compounds such that another non-asserted utility would be well established for the compounds.

Claim 1 is also rejected under 35 U.S.C. § 112, first paragraph. Specifically, since the claimed invention is not supported by either a specific and substantial asserted utility or a well established utility for the reasons set forth above, one skilled in the art would not know how to use the claimed invention.

Example 10: DNA Fragment encoding a Full Open Reading Frame (ORF)

Specification: The specification discloses that a cDNA library was prepared from human kidney epithelial cells and 5000 members of this library were

sequenced and open reading frames were identified. The specification discloses a Table that indicates that one member of the library having SEQ ID NO: 2 has a high level of homology to a DNA ligase. The specification teaches that this complete ORF (SEQ ID NO: 2) encodes SEQ ID NO: 3. An alignment of SEQ ID NO: 3 with known amino acid sequences of DNA ligases indicates that there is a high level of sequence conservation between the various known ligases. The overall level of sequence similarity between SEQ ID NO: 3 and the consensus sequence of the known DNA ligases that are presented in the specification reveals a similarity score of 95%. A search of the prior art confirms that SEQ ID NO: 2 has high homology to DNA Ligase encoding nucleic acids and that the next highest level of homology is to alpha-actin. However, the latter homology is only 50%. Based on the sequence homologies, the specification asserts that SEQ ID NO: 2 encodes a DNA ligase.

Claim 1: An isolated and purified nucleic acid comprising SEQ ID NO: 2.

Analysis: The following analysis includes the questions that need to be asked according to the guidelines and the answers to those questions based on the above facts:

1) Based on the record, is there a "well established utility" for the claimed invention? Based upon applicant's disclosure and the results of the PTO search, there is no reason to doubt the assertion that SEQ ID NO: 2 encodes a DNA ligase. Further, DNA ligases have a well-established use in the molecular biology art based on this class of protein's ability to ligate DNA. Consequently the answer to the question is yes.

Note that if there is a well-established utility already associated with the claimed invention, the utility need not be asserted in the specification as filed. In order to determine whether the claimed invention has a well-established utility the examiner must determine that the invention has a specific, substantial and credible utility that would have been readily apparent to one of skill in the art. In this case SEQ ID NO: 2 was shown to encode a DNA ligase that the artisan would have recognized as having a specific, substantial and credible utility based on its enzymatic activity.

Thus, the conclusion reached from this analysis is that a 35 U.S.C. § 101 rejection and a 35 U.S.C. § 112, first paragraph, utility rejection should not be made.

Example 11: Animals with Uncharacterized Human Genes

Specification: Kidney cells from a patient with Polycystic Kidney (PCK) Disease have been used to make a cDNA library. From this library 8000 nucleotide "fragments" have been sequenced but not yet used to express proteins in a transformed host cell nor have they been characterized in any other way. The 50 longest fragments, SEQ ID NO: 1-50, respectively, have been used to make transgenic mice. None of the 50 lines of mice have developed Polycystic Kidney Disease to date. The asserted utility is the use of the mice to research human genes from diseased human kidneys. The disease is inheritable, but chromosomal loci have not yet been identified. Neither the absence or presence of a specific protein has been identified with the disease condition.

Query= SEQ ID NO:1
(921 letters)

Sequences producing significant alignments:

	Score (bits)	E Value
--	-----------------	------------

AC104237.2.1.164732	<u>391</u>	e-106
---------------------	------------	-------

>AC104237.2.1.164732
Length = 164732

Score = 391 bits (197), Expect = e-106
Identities = 200/201 (99%)
Strand = Plus / Plus

Query: 721	cagggagattcaggaggttcactcatgtgccggaataagaaaggggcctggactctggct	780
Sbjct: 51293	cagggagattcaggaggttcactcatgtgccggaataagaaaggggcctggactctggct	51352

Query: 781	ggtgtgacttcctgggggtttgggctgtggtcgaggctggagaaacaatgtgaggaaaagt	840
Sbjct: 51353	ggtgtgacttcctgggggtttgggctgtggtcgaggctggagaaacaatgtgaggaaaagt	51412

Query: 841	gatcaaggatcccctgggatcttcacagacattagtaaagtgctttcctggatccacgaa	900
Sbjct: 51413	gatcaaggatcccctgggatcttcacagacattagtaaagtgctttcctggatccacgaa	51472

Query: 901	cacatccaaactggtaactaa	921
Sbjct: 51473	cacatccaaactggtaactaa	51493

Score = 349 bits (176), Expect = 1e-93
Identities = 176/176 (100%)
Strand = Plus / Plus

Query: 301	agaaacattgtgtctactttgaatgttactgctggagagtatgacttaagccagacagac	360
Sbjct: 49450	agaaacattgtgtctactttgaatgttactgctggagagtatgacttaagccagacagac	49509

Query: 361	ccaggagagcaaaactctcactattgaaactgtcatcatacatccacatttctccaccaag	420
Sbjct: 49510	ccaggagagcaaaactctcactattgaaactgtcatcatacatccacatttctccaccaag	49569

Query: 421	aaaccaatggactatgatattgcccttttgaagatggctggagccttccaatttgg	476
Sbjct: 49570	aaaccaatggactatgatattgcccttttgaagatggctggagccttccaatttgg	49625

Score = 308 bits (155), Expect = 5e-81
Identities = 155/155 (100%)
Strand = Plus / Plus

Query: 570 aggtggcgctcctctcacaagtcttgcaggaagtgaatctgcctattttgacctgggaaga 629
|||||
Sbjct: 50304 aggtggcgctcctctcacaagtcttgcaggaagtgaatctgcctattttgacctgggaaga 50363

Query: 630 gtgtgtggcagctctgttaacactaaagaggcccatcagtgggaagacctttctttgcac 689
|||||
Sbjct: 50364 gtgtgtggcagctctgttaacactaaagaggcccatcagtgggaagacctttctttgcac 50423

Query: 690 aggttttcctgatggaggaggagagacgcatgtcagg 724
|||||
Sbjct: 50424 aggttttcctgatggaggaggagagacgcatgtcagg 50458

Score = 226 bits (114), Expect = 2e-56
Identities = 114/114 (100%)
Strand = Plus / Plus

Query: 99 agctcccagttgtgggcagagtctgggtaaggtacagccttggaattattttaacatttt 158
|||||
Sbjct: 47105 agctcccagttgtgggcagagtctgggtaaggtacagccttggaattattttaacatttt 47164

Query: 159 cagtcgcattcttggaggaagccaagtggagaagggttcctatccctggcaggt 212
|||||
Sbjct: 47165 cagtcgcattcttggaggaagccaagtggagaagggttcctatccctggcaggt 47218

Score = 197 bits (99), Expect = 1e-47
Identities = 99/99 (100%)
Strand = Plus / Plus

Query: 475 ggccactttgtggggcccatatgtcttccagagctgcgggagcaatttgaggctgggtttt 534
|||||
Sbjct: 49969 ggccactttgtggggcccatatgtcttccagagctgcgggagcaatttgaggctgggtttt 50028

Query: 535 atttgtacaactgcaggctggggccgcttaactgaaggt 573
|||||
Sbjct: 50029 atttgtacaactgcaggctggggccgcttaactgaaggt 50067

Score = 191 bits (96), Expect = 9e-46
Identities = 98/100 (98%)
Strand = Plus / Plus


Query: 1 atgagtctcaaaatgcttataagcaggaacaagctgattttactactaggaatagtcttt 60
|||||
Sbjct: 45375 atgagtctcaaaatgcttataagcaggaacaagctgattttactactaggaatagtcttt 45434

Query: 61 ttggaacraggtaaactctgcarctctttcgctccccaag 100
|||||
Sbjct: 45435 ttggaacraggtaaactctgcaactctttcgctccccaag 45474

Score = 187 bits (94), Expect = 1e-44
Identities = 94/94 (100%)
Strand = Plus / Plus

Query: 209 aggtatctctgaaacaaaggcagaagcatatttgtggaggaagcatcgtctcaccacagt 268
|||||
Sbjct: 47990 aggtatctctgaaacaaaggcagaagcatatttgtggaggaagcatcgtctcaccacagt 48049

Query: 269 gggatgatcacggcggtcactgcattgcaaacag 302
|||||
Sbjct: 48050 gggatgatcacggcggtcactgcattgcaaacag 48083



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Books

Search for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

Display

Show:

Send to

Get Subsequence

Featur

☐ 1: AC104237. Homo sapiens chro...[gi:20128277]

Links

LOCUS AC104237 164732 bp DNA linear PRI 30-APR-2002
 DEFINITION Homo sapiens chromosome 11, clone RP11-35J10, complete sequence.
 ACCESSION AC104237
 VERSION AC104237.2 GI:20128277
 KEYWORDS HTG.
 SOURCE Homo sapiens (human)
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 164732)
 AUTHORS Birren,B., Linton,L., Nusbaum,C. and Lander,E.
 TITLE Homo sapiens chromosome 11, clone RP11-35J10
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 164732)
 AUTHORS Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
 Anderson,S., Barna,N., Bastien,V., Boguslavkiy,L., Boukhgalter,B.,
 Brown,A., Camarata,J., Campopiano,A., Chang,J., Chazaro,B.,
 Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cook,A.,
 Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S., Faro,S.,
 Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
 Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,
 Hagos,B., Heaford,A., Horton,L., Hulme,W., Iliev,I., Johnson,R.,
 Jones,C., Kamat,A., Karatas,A., Kells,C., LaRocque,K.,
 Lamazares,R., Landers,T., Lehoczy,J., Levine,R., Liu,G.,
 MacLean,C., Macdonald,P., Major,J., Marquis,N., Matthews,C.,
 McCarthy,M., McEwan,P., McKernan,K., McPheeters,R., Meldrim,J.,
 Meneus,L., Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C.,
 Norbu,C., Norman,C.H., O'Connor,T., O'Donnell,P., O'Neil,D.,
 Oliver,J., Peterson,K., Phunkhang,P., Pierre,N., Pollara,V.,
 Raymond,C., Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P.,
 Roman,J., Rosetti,M., Roy,A., Santos,R., Schauer,S., Schupback,R.,
 Seaman,S., Severy,P., Spencer,B., Stange-Thomann,N., Stojanovic,N.,
 Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
 Topham,K., Travers,M., Travis,N., Trigilio,J., Vassiliev,H.,
 Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
 Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
 TITLE Direct Submission
 JOURNAL Submitted (06-DEC-2001) Whitehead Institute/MIT Center for Genome
 Research, 320 Charles Street, Cambridge, MA 02141, USA
 REFERENCE 3 (bases 1 to 164732)
 AUTHORS Birren,B., Linton,L., Nusbaum,C., Lander,E., Ali,A., Allen,N.,
 Anderson,S., Barna,N., Bastien,V., Bloom,T., Boguslavkiy,L.,
 Boukhgalter,B., Brown,A., Camarata,J., Campopiano,A., Chang,J.,
 Chazaro,B., Choepel,Y., Colangelo,M., Collins,S., Collymore,A.,
 Cook,A., Cooke,P., DeArellano,K., Dewar,K., Diaz,J.S., Dodge,S.,
 Faro,S., Ferreira,P., FitzHugh,W., Gage,D., Galagan,J., Gardyna,S.,
 Ginde,S., Gord,S., Goyette,M., Graham,L., Grand-Pierre,N.,